

### **RBG**

## **Resin Bound Gravel Kit**

#### Overview

Resin Bound Gravel kit is a mix of aggregates bound together with a clear polyurethane resin. It is flexible, resistant to cracking, and porous. This prevents pooling water, and damage from freezing and thawing. It is available in an extensive colour range, enabling creative design. It is BRoof-t4 rated in accordance with BS EN 13501-5, making it suitable for use on roof terrace applications\*.

- 15 colours available
- Design flexibility
- Tested to BS EN 13501-5: BRoof t4 rated\*

<sup>\*</sup> When installed as part of a complete RYNO system



### **Details**

Material	Mixed aggregates Polyurethane resin screed Anti-slip glass grit
Dimensions	Kit size: approx. 3m2 Thickness: 25mm
Weight	41kg/m2

### **Performance**

Reaction to fire (BS EN 13501-5)	BRoof t4*
Slip resistance (BS 7976)	Slider 96: PTV >52 (wet) Slider 96: PTV >63 (dry) Slider 55: PTV >52 (wet) Slider 55: PTV >91 (dry) Low Slip Potential
Permeability/Porosity (BS EN 12697-40:2005)	10mm @ 22mm depth = 17-30l/sec/m2

<sup>\*</sup>when installed as part of a complete Ryno system

# Got questions? Give us a shout.

Visit www.rynogroup.co.uk or call us today on +44 (0)203 967 3500 or reach out on sales@rynogroup.co.uk.






\*non-UV resin is supplied as standard with these colours; please note if items e.g. plant pots are placed on the surface for a time and then moved there may be a colour difference.

# Got questions? Give us a shout.

Visit www.rynogroup.co.uk or call us today on +44 (0)203 967 3500 or reach out on sales@rynogroup.co.uk.



# **Compatible components**



### **Compatible systems**

### **Terra**Smart®

Resin Bound Gravel System

Raised, lightweight flooring system with a seamless resin bound aggregate finish.

### Got questions? Give us a shout.

Visit www.rynogroup.co.uk or call us today on +44 (0)203 967 3500 or reach out on sales@rynogroup.co.uk.