

AFL-ST

Aluminium Frameless Soffit Trim



Overview

The Aluminium Frameless Soffit Trim is a versatile profile that can be used to extend and support the edge details of the Aluminium Frameless Soffit Board; it can be used to close the gap between façade and soffit, to support the edges of whole boards, and support boards that have been cut down. The clever design enables 1 profile to be used in all possible instances.



- Made from non-combustible aluminium
- Seamless integration with Frameless Soffit Board

Details

Material	Aluminium 6063-T6
Dimensions	35x3600mm
Weight	0.85kg/m
Coating	Qualicoat 'Seaside' Class 2 powder coating

Performance





Reaction to fire (BS EN 13501-1)	A2-s1, d0
Biological and chemical	Resistant to moulds algae, alkali, bitumen, UV
Warranty	30 years*
Design life	60 years

*when used as part of a complete Ryno system

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Finishes

			
RAL 7037 - Dusty Grey	RAL 7039 - Quartz Grey	RAL 7040 - Window Grey	RAL 8014 - Sepia Brown
			
RAL 8019 - Grey Brown	RAL 7016 - Anthracite Grey	Custom RAL colour options	

Compatible Components

	AFL-SB Aluminium Frameless Soffit Board		
---	---	--	--

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

