

# DFRK


## Dry Fix Ridge Kit

### Overview

The Dry-Fix Ridge System can be installed in all weathers. Developed for faster and safer ridge tile installation and simple to install, it creates less mess and has none of the problems that come with mortar.


More extreme weather has led to a change in roofing advice. The latest BS5534 standards recommend dry fixing for ridge tiles. It's safer for building owners, more dependable for roofers, and means no more customer calls to fix common mortar problems.

- Faster and easier to achieve perfectly level, secure ridge tiles
- Suitable for ventilated and unventilated roof spaces
- 2 colour choices depending on roof aesthetic and tile colours (RAL 7021 Anthracite & RAL 8019 Brown)
- Complete compliance with NHBC, BS5534 and BS8612 standards
- In stock for next-day delivery from stock throughout the UK
- 1200mm Hip trays are available



### Part Information

Detail	Component	Value
<b>Product material</b>	Union	PP Polypropylene
	Clips	Polyamide
	Fixing Screw	Stainless Steel
	Batten Support Bracket	Galvanized Steel
<b>Permeability</b>	Ridge Roll fabric air permeability	270g/m <sup>2</sup>
	Ridge Roll fabric water permeability	3g/m <sup>3</sup> /24hr
<b>Density</b>	Butyl glue	1.7g/m <sup>3</sup>
<b>Thickness</b>	Coated aluminium edges	140μ

**KIT CONTENTS**

**Got questions? Give us a shout.**

Visit [www.rynosystems.com](http://www.rynosystems.com) or call us today on **+44 (0)203 967 3500** or reach out on [sales@rynosystems.com](mailto:sales@rynosystems.com)

