

CDB-S

Signature Composite Decking Board

Overview

The Signature Composite Decking Board is a wood-polymer composite (WPC) board with a timeless wood-grain appearance, for the look of wood without any of the downsides of timber decking. Engineered with a plastic cap this board boasts the maximum possible durability with a reversible design offering greater design possibilities.

- 6 colour options
- Bullnose boards and corner profiles
- Long-lasting: will not rot, warp, or twist
- Non-slip and splinter-proof
- Low maintenance: no need for treatment or staining
- Manufactured using FSC-certified timber (FSC®-C156894)



Details

Material	Wood-polymer composite (WPC)
Dimensions	3600x142x22 mm
Weight	9.64kg per board
Sustainable sourcing	Manufactured using FSC-certified timber (FSC®-C156894)

Performance

Slip resistance (BS EN 7976)	Classification: Low Slip Potential Silver Birch & Teak - PTV (Dry) 49, PTV (Wet) 37 Mahogany & Ebony - PTV (Dry) 50, PTV (Wet) 37
Allowable load	See “Compatible system” data
Maximum span	400mm
Biological and chemical	Resistant to moulds, algae, alkali, bitumen, UV
Warranty	10 years

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Part Information

Name	Length	Width	Height
Corner Profile	3600mm	54mm	40mm
Bullnose Board	3600mm	142mm	22mm


Finishes

			
Silver birch	Teak	Ebony	Mahogany
			
Sycamore	Willow		

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com

Compatible Components

	DS Aluminium Joist		DSB Decking Screw
	DST Decking Screw for Timber		RDA Self-levelling Adjustable Joist Support Pedestal
	RDA-C Self-levelling Adjustable Joist Support Pedestal with Clip-on Head		RDF Fixed Head Adjustable Joist Support Pedestal
	RDC-A Adjustable Joist Cradle		RDC-F Fixed Height Joist Cradle
	CTC Decking T-Clip - Composite		CSC Decking Starter/End Clip

Got questions? Give us a shout.

Visit www.rynosystems.com or call us today on **+44 (0)203 967 3500** or reach out on sales@rynosystems.com